

Test Report

No. 2235641/TY

Date : Apr 30 2009

Page 1 of 4

HOPSTECH INDUSTRIES LTD.
RM. 1411, BLK. A,
HOI LUEN IND. CENTRE,
55 HOI YUEN ROAD, KWUN TONG,
KOWLOON, HONG KONG

The following sample samples were submitted and identified on behalf of the client as
ZOOBMOBILE - RACER, CAR DESIGNER

Sample Quantity : 6 PCS
Style/Item No. : 12051, 12052
Buyer : INFINITOY, INC.
Manufacturer : HOPSTECH INDUSTRIES LTD.
Country of Origin : CHINA
Country of Destination : USA/EUROPE
Sample Receiving Date : APR 24, 2009
Testing Period : APR 24, 2009 TO APR 30, 2009

Test Requested : For compliance with lead in paint/similar surface coating material, lead in accessible substrate materials and phthalates content in US Public Law 110-314 (HR 4040 'Consumer Product Safety Improvement Act of 2008').


Test Results : Please refer to next page(s).

Results summary :

| Test item | Result |
|------------------------------------------------|--------|
| Lead in paint/similar surface coating material | PASS |
| Lead in accessible substrate materials | PASS |
| Phthalates | PASS |

Overall Conclusion : The submitted samples comply with the requested test requirements.

Signed for and on behalf of
SGS Hong Kong Ltd


Lui Tat Wah, Wallace
Senior Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No. 2235641/TY

Date : Apr 30 2009

Page 2 of 4

Test Results :

- 1) Lead in paint/similar surface coating material

Method: With reference to ASTM E1645-01 (2007) and E1613-04

| Test item | A1 | Permissible Limit* |
|------------|--------|--------------------|
| Lead (Pb) | 0.005% | 0.009% |
| Conclusion | PASS | --- |

* Conclusion is based on the 0.009 % limit requirement, effective 14 August, 2009. The current permissible limit is no more than 0.06 %

Sample Description :

A1. Multi-Color Coating on Paper

Note : 1. % = percentage by weight
2. Method Detection Limit = 0.002%

- 2) Lead in accessible substrate materials

Method: Acid digestion followed by Atomic Absorption Spectrometry.

| Test item | B1 | B2 | B3 | B4 | Permissible Limit** |
|------------|------|------|------|------|---------------------|
| Lead (Pb) | ND | ND | ND | ND | 0.03 % |
| Conclusion | PASS | PASS | PASS | PASS | --- |

| Test item | B5 | B6 | B7 | Permissible Limit** |
|------------|------|------|--------|---------------------|
| Lead (Pb) | ND | ND | 0.005% | 0.03 % |
| Conclusion | PASS | PASS | PASS | --- |

** Conclusion is based on the 0.03 % limit requirement, effective 14 August, 2009. The requirements for lead in substrate in children's products is summarized below

| Scope | Requirement | Effective date |
|-----------------------------------------------------------------------|-------------|------------------|
| Lead in substrate other than paint / similar surface coating material | ≤ 0.06 % | 10 February 2009 |
| | ≤ 0.03 % | 14 August 2009 |
| | ≤ 0.01% | 14 August 2011 |

Sample Description :

- B1. White Paper
B2. Black Soft Plastic (Wheel)
B3. Dull Silver-Grey Plastic (Wheel)
B4. Silver-Grey Plastic (Snap)
B5. Red Plastic (Snap)
B6. Blue Plastic (Snap)
B7. Silver Color Metal Axle

Note : 1. % = percentage by weight
2. ND = not detected
3. Method Detection Limit = 0.002%

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Results (Cont.)

3) Phthalates

Method: With reference to ASTM D3421-75. Analysis was performed by Gas Chromatography / Mass Spectrometry.

Toys and childcare articles

| Test item | C1 | C2 | C3 | Permissible Limit |
|-------------------------------------|------|------|--------|-------------------|
| Dibutyl Phthalate (DBP) | ND | ND | ND | 0.1% |
| Benzylbutyl Phthalate (BBP) | ND | ND | ND | 0.1% |
| Bis-(2-ethylhexyl) Phthalate (DEHP) | ND | ND | 0.014% | 0.1% |
| Conclusion | PASS | PASS | PASS | --- |

Toys that can be placed in the mouth and childcare articles

| Test item | C1 | C2 | C3 | Permissible Limit |
|-----------------------------|------|------|------|-------------------|
| Diisononyl Phthalate (DINP) | ND | ND | ND | 0.1% |
| Di-n-octyl Phthalate (DNOP) | ND | ND | ND | 0.1% |
| Diisodecyl Phthalate (DIDP) | ND | ND | ND | 0.1% |
| Conclusion | PASS | PASS | PASS | --- |

Sample Description :

- C1. Black Soft Plastic (Wheel) + Dull Silver-Grey Plastic (Wheel) + Silver-Grey Plastic (Snap)
- C2. Red Plastic (Snap) + Blue Plastic (Snap)
- C3. Multi-Color Coating on Paper

- Note :
1. % = percentage by weight
 2. ND = not detected
 3. Method Detection Limit for each of DBP, BBP, DEHP and DNOP = 0.003%
 4. Method Detection Limit for each of DINP and DIDP = 0.01%
 5. Effective Date = 10 February 2009

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.